(144555)



# A07760 TM COUNTRY GARDEN 30% 12n6.6

Version 1.1

Revision Date 12/29/2016

Print Date 02/15/2017

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07760 TM COUNTRY GARDEN 30% 12n6.6
Material number	:	0000000001042786
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

# Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

# Recommended use of the chemical and restrictions on use

Recommended use : Air Care

## SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

# **GHS** Classification

Flammable aerosols	: Category 1	
Gases under pressure	: Liquefied gas	
Eye irritation	: Category 2A	
Skin sensitisation	: Category 1	
Specific target organ toxicity -	: Category 3 (Central nervous syste	m)
single exposure		

#### GHS label elements

Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>



sion 1.1	Revision Date 12/29/2016	Print Date 02/15/2017
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/spa No smoking. P211 Do not spray on an open of P251 Pressurized container: Do use. P261 Avoid breathing dust/ fum P264 Wash skin thoroughly afte P271 Use only outdoors or in a P272 Contaminated work clothin the workplace. P280 Wear eye protection/ face P280 Wear protective gloves.</li> <li>Response: P302 + P352 IF ON SKIN: Was P304 + P340 + P312 IF INHALE and keep at rest in a position co POISON CENTER or doctor/ ph P305 + P351 + P338 IF IN EYE for several minutes. Remove co easy to do. Continue rinsing. P333 + P313 If skin irritation or advice/ attention. P363 Wash contaminated clothi Storage: P405 Store locked up. P410 + P412 Protect from sunli temperatures exceeding 50 °C/ P403 Store in a well-ventilated p Disposal: Dispose of contents/container i regulation.</li> </ul>	flame or other ignition source. o not pierce or burn, even after e/ gas/ mist/ vapours/ spray. er handling. well-ventilated area. ng should not be allowed out of protection. th with plenty of soap and water D: Remove victim to fresh air omfortable for breathing. Call a hysician if you feel unwell. S: Rinse cautiously with water ontact lenses, if present and rash occurs: Get medical rsists: Get medical advice/ ing before reuse. ght. Do not expose to 122 °F. place.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 10 - < 20
alpha-hexylcinnamaldehyde	101-86-0	>= 0.1 - < 1
7-hydroxycitronellal	107-75-5	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Remove to fresh air. Consult a physician after significant exposure.



Version 1.1	Revision Date 12/29/2016	Print Date 02/15/2017
	If unconscious place in recovery p advice.	position and seek medical
In case of skin contact	: Wash off immediately with plenty minutes. If skin irritation persists, call a phy If on clothes, remove clothes.	
In case of eye contact	<ul> <li>Rinse immediately with plenty of w If eye irritation persists, consult as Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.</li> </ul>	specialist.
If swallowed	: Keep respiratory tract clear. Drink 1 or 2 glasses of water. Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless of physician or poison control center. Take victim immediately to hospita	an. lirected to do so by a

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Foam Carbon dioxide (CO2) Water spray jet Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing methods		Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 1.1

Revision Date 12/29/2016

Print Date 02/15/2017

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>	
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>	
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>	

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not puncture.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Do not breathe vapours or spray mist.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Always replace cap after use.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH



ersion 1.1	Revision	Date 12/29/2016	Print	Date 02/15/2017
	I	STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REI
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH RE
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

# Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	25 mg/l	ACGIH BEI
				shift (As	-	
				soon as		
				possible		
				after		
				exposure		
				ceases)		

# Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Version 1.1

Revision Date 12/29/2016

Print Date 02/15/2017

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	:
	Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: partly soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Heat of combustion	: 36.78 kJ/g

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous	: Vapours may form explosive mixture with a	air.



Version 1.1	Revision Date 12/29/2016	Print Date 02/15/2017
reactions	No decomposition if stored and ap	oplied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct	ct sunlight.
Incompatible materials	: Acids Bases Oxidizing agents	
Hazardous decomposition products	: Carbon oxides	

# SECTION 11. TOXICOLOGICAL INFORMATION

Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoge by NTP.

# Acute toxicity

Components:		
acetone: Acute oral toxicity	:	LD50 Rat: 5,800 mg/kg
Acute inhalation toxicity	:	LC50 Rat: 132 mg/l Exposure time: 3 h
		LC50 Rat: 50.1 mg/l
Acute dermal toxicity	:	LD50 Guinea pig: > 7,426 mg/kg
		LD50 Rabbit: > 7,426 mg/kg
<b>propane:</b> Acute inhalation toxicity	:	LC50 Mouse: 1,237 mg/l Exposure time: 2 h
		LC50 Rat: 658 mg/l Exposure time: 4 h



Version 1.1

Revision Date 12/29/2016

LC50 Rat: 1,355 mg/l

### Skin corrosion/irritation

## Product:

Remarks: May cause skin irritation in susceptible persons.

## Serious eye damage/eye irritation

#### Product:

Remarks: Eye irritation

#### Respiratory or skin sensitisation

#### Product:

Remarks: Causes sensitisation.

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

acetone: propane: alpha-hexylcinnamaldehyde: 7-hydroxycitronellal:

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### Further information

## Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

# SAFETY DATA SHEET

# A07760 TM COUNTRY GARDEN 30% 12n6.6

Version 1.1

Revision Date 12/29/2016



Print Date 02/15/2017

# SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
octanol/water <u>Components:</u> alpha-hexylcinnamaldehyde :	Remarks: No data available
Partition coefficient: n- : octanol/water	log Pow: 4.686
Mobility in soil	
No data available	
Other adverse effects	
No data available <u> Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological : information	No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with local regulations.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>The product should not be allowed to enter drains, water courses or the soil.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>



Version 1.1

Revision Date 12/29/2016

Print Date 02/15/2017

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other



Version 1.1

Revision Date 12/29/2016

Print Date 02/15/2017

Zepinc

reproductive harm.

#### The components of this product are reported in the following inventories:

TSCAOn TSCA InventoryDSLAll components of the

All components of this product are on the Canadian DSL


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**



# **OSHA - GHS Label Information:**

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	<ul> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated.</li> <li>May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness.</li> </ul>
Precautionary statements	
	<ul> <li>Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/ vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear eye protection/face protection. Wear protective gloves.</li> <li>Response: IF ON SKIN: Wash w ith plenty of soap and w ater. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unw ell. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse.</li> <li>Stor age: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place.</li> </ul>



Version 1.1

Revision Date 12/29/2016

Print Date 02/15/2017

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	1.1
Revision Date:	12/29/2016
Print Date:	02/15/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.