

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name Isopropyl Alcohol

Synonyms Dimethyl carbinol, Isopropanol

Use Industrial use

Company Sasol Chemicals (USA) LLC

(an affiliate of Sasol Chemicals North America LLC)

Address 900 Threadneedle Ste 100 Houston TX 77079

Telephone CHEMTREC North America Transportation Emergency (24-hr) (800) 424-9300

 CHEMTREC World Wide
 (703) 527-3887

 Other Emergencies (24-hr)
 (337) 494-5142

 MSDS and Product Information (8:00am-4:30pm CST)
 (281) 588-3491

 Health and Safety Information (7:30am-4:00pm CST)
 (281) 588-3492

E-mail address SasolElectronicSDS@us.sasol.com

SECTION 2 HAZARDS IDENTIFICATION

GHS Hazards

Flammable liquids Category 2
Eye irritation Category 2A

Specific target organ toxicity -

single exposure

Category 3 (Narcotic effects)

LABEL ELEMENTS

Hazard symbols



Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

Prevention P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.



P280 Wear protective gloves/ eye protection/ face protection.

P264 Wash skin thoroughly after handling.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P271 Use only outdoors or in a well-ventilated area.

Response P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical

or carbon dioxide for extinction.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage P403 + P405 + P235 Store locked up in a well-ventilated place. Keep cool.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

 Components
 CAS-No.
 Weight percent

 2-Propanol
 67-63-0
 100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice.

Wash contaminated clothing before re-use.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

In case of shortness of breath, give oxygen. Call a physician immediately.

Ingestion If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting

without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion Vapours may form explosive mixture with air. Flash back possible over considerable

distance. Use water spray to disperse the vapors. NFPA Class IB flammable liquid.

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **extinguishing media**

Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 110000000932 Page 2 of 9



Protective equipment In the event of fire, wear self-contained breathing apparatus.

and precautions for

firefiahters

Further information Keep containers and surroundings cool with water spray. Beware of vapours

accumulating to form explosive concentrations. Vapours can accumulate in low areas.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and

cleaning up

Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush into surface water or sanitary sewer system.

SECTION 7 HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations. Keep

away from heat and sources of ignition.

Storage/Transport

pressure

Ambient

Load/Unload

Ambient

temperature

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines). Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment.

PERSONAL PROTECTIVE EQUIPMENT

Eyes Chemical resistant goggles must be worn., Face-shield

Skin Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection is normally not required except in emergencies or when conditions Inhalation

cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory

protection.

EXPOSURE GUIDELINES

Exposure limit(s) Components

OSHA PEL 400 ppm 980 mg/m3 2-Propanol

ACGIH TLV (8-hour) 200 ppm

ACGIH STEL 400 ppm

Permissible Exposure Limits Time Weighted Average (8 hr.) PFI = TWA= TLV= Threshold Limit Value STEL= Short Term Exposure Limit (15 min.)

110000000932 Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 Page 3 of 9



EL= Excursion Limit

WEEL= Workplace Environmental Exposure Level

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid;

Colour Clear, colorless

Form liquid

Odour alcohol-like

Odour Threshold no data available

Flash point 13 °C, 55 °F;

Flammability Upper explosion limit: 19 %(V)

Lower explosion limit: 3.3 %(V)

Boiling point/boiling

range

82 °C, 180 °F;

Melting point/range -92 °C, -134 °F;

Auto-ignition

temperature

363 °C, 685 °F;

Decomposition

temperature

no data available

Flammability (solid,

no data available

gas)

Vapour pressure no data available

Vapour density no data available

Density 0.79 g/cm3 @ 20 °C, 68 °F;

Specific gravity no data available

Water solubility completely miscible

Viscosity no data available

Viscosity, dynamic no data available

pH 7

Evaporation rate no data available

Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 110000000932 Page 4 of 9

SAFETY DATA SHEET



Isopropyl Alcohol

Partition coefficient: n-

no data available

octanol/water

Volatile organic 100 %

compounds (VOC)

content

SECTION 10 STABILITY AND REACTIVITY

Reactivity Stable under recommended storage conditions.

Chemical stability No decomposition if stored and applied as directed.

Conditions to avoid Heat, flames and sparks. Avoid temperatures above 35°C, direct sunlight and contact

with sources of heat.

Hazardous decomposition

lecomposition products

Materials to avoid Strong acids and oxidizing agents

Alkali metals Aluminium Amines Iron

None known.

Hazardous

Vapours may form explosive mixture with air.

polymerisation

SECTION 11 TOXICOLOGICAL INFORMATION

Acute dermal toxicity LD50 rabbit: > 2,000 mg/kg

(literature value)

Acute inhalation LC50 rat (8 hours): > 20 mg/l

toxicity (literature value)

Acute oral toxicity LD50 rat: > 2,000 mg/kg

(literature value)

Skin (rabbit)

corrosion/irritation Not irritating, (literature value)

Eye damage/irritation (rabbit)

irritating, (literature value)

Respiratory or skin guinea pig: not sensitizing; Buehler Test

sensitization (literature value)

Germ cell mutagenicity Genotoxicity in vitro:

Type: Ames test

System: Salmonella typhimurium; with and without metabolic activation

Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 110000000932 Page 5 of 9



Result: In vitro tests did not show mutagenic effects.

(literature value)

Genotoxicity in vivo:

no data available

Assessment Mutagenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity Reproductive toxicity:

no data available

Assessment Reproductive toxicity:

no data available

Teratogenicity: no data available

Assessment teratogenicity:

no data available

STOT - single The substance or mixture is classified as specific target organ toxicant, single exposure,

exposure category 3 with narcotic effects.

STOT - repeated rat; Oral; 90-day; exposure NOAEL: 1,730 mg/kg

LOAEL: 1,730 mg/kg LOAEL: 3,160 mg/kg

Based on available data, the classification criteria are not met.

Aspiration toxicity no data available

Carcinogenicity Assessment carcinogenicity:

Contains no ingredient listed as a carcinogen

SECTION 12 ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 100 mg/l; flow-through test

(literature value)

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 24 hours: > 100 mg/l; static test

invertebrates (literature value)

Toxicity to algae EC50 (Scenedesmus quadricauda (Green algae)) 7 d: > 100 mg/l; static test

(literature value)

Chronic toxicity to no data available

fish

Chronic toxicity to no data available

aquatic invertebrates

Biodegradation Readily biodegradable.

Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 110000000932 Page 6 of 9



BOD5 (5 d): 53 % (literature value)

Bioaccumulation No bioaccumulation is to be expected (log Pow <= 4).

Mobility in soil no data available

Other adverse effects This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).;

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Code D001 - Ignitability (RQ 100 LB). This product has the RCRA characteristic of ignitability.

Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the

classification.

Disposal methods Dispose of only in accordance with local, state, and federal regulations. Do not

contaminate any lakes, streams, ponds, groundwater or soil.

Empty containers. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO

NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and

promptly returned to a drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

DOT UN 1219, Isopropanol, 3, II

IATA UN 1219, Isopropanol, 3, II

IMDG UN 1219, Isopropanol, 3, II

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks no data available

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

OSHA Hazards (HCS 1994)

Flammable liquid, Eye irritation

TSCA Inventory Listing Components

<u>CAS-No.</u>

Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 110000000932 Page 7 of 9



2-Propanol 67-63-0

SARA 302 Status

<u>CAS-No.</u> <u>Weight percent</u>

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

"Fire hazard", "Immediate (acute) health hazard"

SARA 313 Chemical

 Components
 CAS-No.
 Weight percent

 2-Propanol
 67-63-0
 100 %

US. EPA CERCLA Hazardous Substances (40 CFR 302)

<u>Components</u> <u>Reportable Quantity</u> <u>Weight percent</u>

none

INTERNATIONAL REGULATIONS

WHMIS Classification

Class B, Division 2: Flammable liquid.

Class D, Division 2, Subdivision B: Toxic material.

European Union

Classification according to Regulation (EU) 1272/2008.

Flammable liquids, Category 2

Eye irritation, Category 2

Specific target organ toxicity - single exposure, Category 3 (Narcotic effects)

Australia. Inventory of Chemical Substances (AICS)

Listed

Japan. Inventory of Existing and New Chemical Substances (ENCS)

Listed

Japan. Industrial Safety & Health Law (ISHL) Inventory

Listed

Canada. Domestic Substances List (DSL) Inventory

Listed

Canadian Non-Domestic Substance Listing (NDSL)

Not listed

European Inventory of Existing Commercial Chemical Substances Listed

(EINECS) Listing

Philippines. Inventory of Chemicals / Chemical Substances (PICCS)

Listed

Korea. Existing Chemicals Inventory (KECI)

Listed

China. Inventory of Existing Chemical Substances (IECSC)

Listed

Mexico. National Inventory of Chemical Substances (INSQ)

Listed

Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 110000000932 Page 8 of 9

SAFETY DATA SHEET



Isopropyl Alcohol

New Zealand. Inventory of Chemicals (NZIoC)

Switzerland. Inventory of Notified New Substances (CHINV)

Listed

Taiwan. National Existing Chemical Inventory (NECI)

Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65
Components
none

CAS-No.

SECTION 16

OTHER INFORMATION

HAZARD RATINGS

			Physical Hazard/
	<u>Health</u>	<u>Flammability</u>	Instability
HMIS ®	2	3	0
NFPA	2	3	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.

Revision Date 02/27/2015 Version 1.0 Print Date 02/27/2015 110000000932 Page 9 of 9